

Patent Application Attorney Docket No.: ACCESS-008XX

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Thomas F. Egan : Group Art Unit: 3652

Appln. No.: 10/651,093 :

: Examiner: T. Tran Filed: August 29, 2003

Danie Blankovi zallo Bakovaka d

For: Electrically Actuated
Transfer Seat

Mail Stop Amendment Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450

TRANSMITTAL

Sir:

Submitted herewith is an Amendment/Response for the above-identified patent application.

- [] No additional fee is required.
- [X] Also attached: a Return Receipt Postcard.

[X] The fee is calculated as shown below:

	PRESENT # OF CLAIMS	HIGHEST # PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	20	20		x \$50 =	\$.00
Independent Claims	2	3		x \$200 =	\$.00
-		Multiple Dependent Claims Fee			\$.00
	Subtotal			\$.00	
	Subtract ½ if Small Entity			\$.00	
TOTAL FEE DUE				\$0.00	

- [] Please charge Deposit Account No. ______ in the amount of \$.00 for the above-indicated fees. A duplicate copy of this transmittal is submitted herewith.
- [] The Commissioner is hereby authorized to charge any shortage in fees under 37 CFR 1.16 and 1.17 associated with the filing of this communication, or credit any overpayment, to Deposit Account No. ______. This authorization does not include any issue fees under 37 CFR 1.18. A duplicate copy of this transmittal is submitted herewith.


Respectfully submitted,

Thomas E. Anderson

Registration No. 37,063

Thomas E. Anderson 8707 Seven Locks Road Bethesda, Maryland 20817 Telephone: (301) 365-4042

Date: March 16, 2006





IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Thomas F. Egan

: Group Art Unit: 3652

Appln. No.: 10/651,093

Examiner: T. Tran

Filed: August 29, 2003

:

For: Electrically Actuated

Transfer Seat

:

Mail Stop Amendment Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450

AMENDMENT/RESPONSE

Sir:

In response to the Office Action dated December 16, 2005, please amend the above-identified patent application as follows: